

### Instrument / Site

---

| Meter                              | Probe                              |  |
|------------------------------------|------------------------------------|--|
| Model: NBM-550<br>S/N: H-0121      | Model: EHP50F<br>S/N: 100WY61283   |  |
| Calibration Due Date<br>03/21/2021 | Calibration Due Date<br>04/05/2021 |  |

| Site | Coordinates |
|------|-------------|
|      |             |

| Comment |
|---------|
|         |

## Measured Values

---

Spectrum: Span 100 Hz, Averaging Samples 4, Highest Peak 1.679 V/m (50.0 Hz)

| <u>Index</u> | <u>Frequency</u> | <u>Avg (E-Field)</u> |
|--------------|------------------|----------------------|
| 1            | 1.0 Hz           | 0.598 V/m            |
| 2            | 1.2 Hz           | 0.424 V/m            |
| 3            | 1.5 Hz           | 0.243 V/m            |
| 4            | 1.7 Hz           | 0.166 V/m            |
| 5            | 2.0 Hz           | 0.122 V/m            |
| 6            | 2.2 Hz           | 0.133 V/m            |
| 7            | 2.4 Hz           | 0.099 V/m            |
| 8            | 2.7 Hz           | 0.067 V/m            |
| 9            | 2.9 Hz           | 0.050 V/m            |
| 10           | 3.2 Hz           | 0.044 V/m            |
| 11           | 3.4 Hz           | 0.045 V/m            |
| 12           | 3.7 Hz           | 0.042 V/m            |
| 13           | 3.9 Hz           | 0.042 V/m            |
| 14           | 4.2 Hz           | 0.039 V/m            |
| 15           | 4.4 Hz           | 0.035 V/m            |
| 16           | 4.6 Hz           | 0.037 V/m            |
| 17           | 4.9 Hz           | 0.043 V/m            |
| 18           | 5.1 Hz           | 0.036 V/m            |
| 19           | 5.4 Hz           | 0.028 V/m            |
| 20           | 5.6 Hz           | 0.028 V/m            |
| 21           | 5.9 Hz           | 0.031 V/m            |
| 22           | 6.1 Hz           | 0.031 V/m            |
| 23           | 6.3 Hz           | 0.031 V/m            |
| 24           | 6.6 Hz           | 0.036 V/m            |
| 25           | 6.8 Hz           | 0.040 V/m            |
| 26           | 7.1 Hz           | 0.041 V/m            |
| 27           | 7.3 Hz           | 0.034 V/m            |
| 28           | 7.6 Hz           | 0.022 V/m            |
| 29           | 7.8 Hz           | 0.020 V/m            |
| 30           | 8.1 Hz           | 0.019 V/m            |
| 31           | 8.3 Hz           | 0.019 V/m            |
| 32           | 8.5 Hz           | 0.018 V/m            |
| 33           | 8.8 Hz           | 0.018 V/m            |
| 34           | 9.0 Hz           | 0.014 V/m            |
| 35           | 9.3 Hz           | 0.012 V/m            |
| 36           | 9.5 Hz           | 0.014 V/m            |
| 37           | 9.8 Hz           | 0.015 V/m            |
| 38           | 10.0 Hz          | 0.014 V/m            |
| 39           | 10.3 Hz          | 0.018 V/m            |
| 40           | 10.5 Hz          | 0.024 V/m            |
| 41           | 10.7 Hz          | 0.023 V/m            |
| 42           | 11.0 Hz          | 0.023 V/m            |
| 43           | 11.2 Hz          | 0.025 V/m            |
| 44           | 11.5 Hz          | 0.023 V/m            |
| 45           | 11.7 Hz          | 0.020 V/m            |
| 46           | 12.0 Hz          | 0.014 V/m            |
| 47           | 12.2 Hz          | 0.014 V/m            |
| 48           | 12.5 Hz          | 0.018 V/m            |
| 49           | 12.7 Hz          | 0.014 V/m            |
| 50           | 12.9 Hz          | 0.009 V/m            |
| 51           | 13.2 Hz          | 0.008 V/m            |
| 52           | 13.4 Hz          | 0.005 V/m            |

| <u>Index</u> | <u>Frequency</u> | <u>Avg (E-Field)</u> |
|--------------|------------------|----------------------|
| 53           | 13.7 Hz          | 0.010 V/m            |
| 54           | 13.9 Hz          | 0.010 V/m            |
| 55           | 14.2 Hz          | 0.009 V/m            |
| 56           | 14.4 Hz          | 0.008 V/m            |
| 57           | 14.6 Hz          | 0.011 V/m            |
| 58           | 14.9 Hz          | 0.007 V/m            |
| 59           | 15.1 Hz          | 0.005 V/m            |
| 60           | 15.4 Hz          | 0.012 V/m            |
| 61           | 15.6 Hz          | 0.015 V/m            |
| 62           | 15.9 Hz          | 0.013 V/m            |
| 63           | 16.1 Hz          | 0.015 V/m            |
| 64           | 16.4 Hz          | 0.014 V/m            |
| 65           | 16.6 Hz          | 0.011 V/m            |
| 66           | 16.8 Hz          | 0.014 V/m            |
| 67           | 17.1 Hz          | 0.017 V/m            |
| 68           | 17.3 Hz          | 0.019 V/m            |
| 69           | 17.6 Hz          | 0.017 V/m            |
| 70           | 17.8 Hz          | 0.012 V/m            |
| 71           | 18.1 Hz          | 0.009 V/m            |
| 72           | 18.3 Hz          | 0.008 V/m            |
| 73           | 18.6 Hz          | 0.008 V/m            |
| 74           | 18.8 Hz          | 0.007 V/m            |
| 75           | 19.0 Hz          | 0.007 V/m            |
| 76           | 19.3 Hz          | 0.008 V/m            |
| 77           | 19.5 Hz          | 0.010 V/m            |
| 78           | 19.8 Hz          | 0.009 V/m            |
| 79           | 20.0 Hz          | 0.008 V/m            |
| 80           | 20.3 Hz          | 0.008 V/m            |
| 81           | 20.5 Hz          | 0.007 V/m            |
| 82           | 20.8 Hz          | 0.008 V/m            |
| 83           | 21.0 Hz          | 0.008 V/m            |
| 84           | 21.2 Hz          | 0.007 V/m            |
| 85           | 21.5 Hz          | 0.003 V/m            |
| 86           | 21.7 Hz          | 0.005 V/m            |
| 87           | 22.0 Hz          | 0.007 V/m            |
| 88           | 22.2 Hz          | 0.008 V/m            |
| 89           | 22.5 Hz          | 0.007 V/m            |
| 90           | 22.7 Hz          | 0.007 V/m            |
| 91           | 22.9 Hz          | 0.010 V/m            |
| 92           | 23.2 Hz          | 0.013 V/m            |
| 93           | 23.4 Hz          | 0.012 V/m            |
| 94           | 23.7 Hz          | 0.010 V/m            |
| 95           | 23.9 Hz          | 0.012 V/m            |
| 96           | 24.2 Hz          | 0.010 V/m            |
| 97           | 24.4 Hz          | 0.009 V/m            |
| 98           | 24.7 Hz          | 0.009 V/m            |
| 99           | 24.9 Hz          | 0.008 V/m            |
| 100          | 25.1 Hz          | 0.008 V/m            |
| 101          | 25.4 Hz          | 0.008 V/m            |
| 102          | 25.6 Hz          | 0.008 V/m            |
| 103          | 25.9 Hz          | 0.009 V/m            |
| 104          | 26.1 Hz          | 0.009 V/m            |
| 105          | 26.4 Hz          | 0.010 V/m            |
| 106          | 26.6 Hz          | 0.010 V/m            |
| 107          | 26.9 Hz          | 0.012 V/m            |
| 108          | 27.1 Hz          | 0.013 V/m            |
| 109          | 27.3 Hz          | 0.012 V/m            |

| <u>Index</u> | <u>Frequency</u> | <u>Avg (E-Field)</u> |
|--------------|------------------|----------------------|
| 110          | 27.6 Hz          | 0.010 V/m            |
| 111          | 27.8 Hz          | 0.009 V/m            |
| 112          | 28.1 Hz          | 0.009 V/m            |
| 113          | 28.3 Hz          | 0.009 V/m            |
| 114          | 28.6 Hz          | 0.010 V/m            |
| 115          | 28.8 Hz          | 0.011 V/m            |
| 116          | 29.1 Hz          | 0.011 V/m            |
| 117          | 29.3 Hz          | 0.009 V/m            |
| 118          | 29.5 Hz          | 0.008 V/m            |
| 119          | 29.8 Hz          | 0.008 V/m            |
| 120          | 30.0 Hz          | 0.008 V/m            |
| 121          | 30.3 Hz          | 0.008 V/m            |
| 122          | 30.5 Hz          | 0.007 V/m            |
| 123          | 30.8 Hz          | 0.008 V/m            |
| 124          | 31.0 Hz          | 0.010 V/m            |
| 125          | 31.2 Hz          | 0.010 V/m            |
| 126          | 31.5 Hz          | 0.010 V/m            |
| 127          | 31.7 Hz          | 0.009 V/m            |
| 128          | 32.0 Hz          | 0.010 V/m            |
| 129          | 32.2 Hz          | 0.008 V/m            |
| 130          | 32.5 Hz          | 0.006 V/m            |
| 131          | 32.7 Hz          | 0.006 V/m            |
| 132          | 33.0 Hz          | 0.006 V/m            |
| 133          | 33.2 Hz          | 0.007 V/m            |
| 134          | 33.4 Hz          | 0.008 V/m            |
| 135          | 33.7 Hz          | 0.008 V/m            |
| 136          | 33.9 Hz          | 0.007 V/m            |
| 137          | 34.2 Hz          | 0.007 V/m            |
| 138          | 34.4 Hz          | 0.007 V/m            |
| 139          | 34.7 Hz          | 0.005 V/m            |
| 140          | 34.9 Hz          | 0.006 V/m            |
| 141          | 35.2 Hz          | 0.006 V/m            |
| 142          | 35.4 Hz          | 0.006 V/m            |
| 143          | 35.6 Hz          | 0.005 V/m            |
| 144          | 35.9 Hz          | 0.005 V/m            |
| 145          | 36.1 Hz          | 0.006 V/m            |
| 146          | 36.4 Hz          | 0.006 V/m            |
| 147          | 36.6 Hz          | 0.006 V/m            |
| 148          | 36.9 Hz          | 0.006 V/m            |
| 149          | 37.1 Hz          | 0.006 V/m            |
| 150          | 37.4 Hz          | 0.008 V/m            |
| 151          | 37.6 Hz          | 0.009 V/m            |
| 152          | 37.8 Hz          | 0.008 V/m            |
| 153          | 38.1 Hz          | 0.007 V/m            |
| 154          | 38.3 Hz          | 0.008 V/m            |
| 155          | 38.6 Hz          | 0.011 V/m            |
| 156          | 38.8 Hz          | 0.013 V/m            |
| 157          | 39.1 Hz          | 0.012 V/m            |
| 158          | 39.3 Hz          | 0.010 V/m            |
| 159          | 39.6 Hz          | 0.010 V/m            |
| 160          | 39.8 Hz          | 0.010 V/m            |
| 161          | 40.0 Hz          | 0.010 V/m            |
| 162          | 40.3 Hz          | 0.009 V/m            |
| 163          | 40.5 Hz          | 0.007 V/m            |
| 164          | 40.8 Hz          | 0.007 V/m            |
| 165          | 41.0 Hz          | 0.007 V/m            |
| 166          | 41.3 Hz          | 0.007 V/m            |

| <u>Index</u> | <u>Frequency</u> | <u>Avg (E-Field)</u> |
|--------------|------------------|----------------------|
| 167          | 41.5 Hz          | 0.006 V/m            |
| 168          | 41.7 Hz          | 0.006 V/m            |
| 169          | 42.0 Hz          | 0.007 V/m            |
| 170          | 42.2 Hz          | 0.007 V/m            |
| 171          | 42.5 Hz          | 0.006 V/m            |
| 172          | 42.7 Hz          | 0.007 V/m            |
| 173          | 43.0 Hz          | 0.007 V/m            |
| 174          | 43.2 Hz          | 0.007 V/m            |
| 175          | 43.5 Hz          | 0.008 V/m            |
| 176          | 43.7 Hz          | 0.009 V/m            |
| 177          | 43.9 Hz          | 0.009 V/m            |
| 178          | 44.2 Hz          | 0.008 V/m            |
| 179          | 44.4 Hz          | 0.006 V/m            |
| 180          | 44.7 Hz          | 0.005 V/m            |
| 181          | 44.9 Hz          | 0.007 V/m            |
| 182          | 45.2 Hz          | 0.008 V/m            |
| 183          | 45.4 Hz          | 0.007 V/m            |
| 184          | 45.7 Hz          | 0.005 V/m            |
| 185          | 45.9 Hz          | 0.004 V/m            |
| 186          | 46.1 Hz          | 0.005 V/m            |
| 187          | 46.4 Hz          | 0.007 V/m            |
| 188          | 46.6 Hz          | 0.008 V/m            |
| 189          | 46.9 Hz          | 0.008 V/m            |
| 190          | 47.1 Hz          | 0.006 V/m            |
| 191          | 47.4 Hz          | 0.005 V/m            |
| 192          | 47.6 Hz          | 0.005 V/m            |
| 193          | 47.9 Hz          | 0.006 V/m            |
| 194          | 48.1 Hz          | 0.006 V/m            |
| 195          | 48.3 Hz          | 0.005 V/m            |
| 196          | 48.6 Hz          | 0.005 V/m            |
| 197          | 48.8 Hz          | 0.008 V/m            |
| 198          | 49.1 Hz          | 0.051 V/m            |
| 199          | 49.3 Hz          | 0.430 V/m            |
| 200          | 49.6 Hz          | 1.210 V/m            |
| 201          | 49.8 Hz          | 1.653 V/m            |
| 202          | 50.0 Hz          | 1.679 V/m            |
| 203          | 50.3 Hz          | 1.576 V/m            |
| 204          | 50.5 Hz          | 0.948 V/m            |
| 205          | 50.8 Hz          | 0.247 V/m            |
| 206          | 51.0 Hz          | 0.020 V/m            |
| 207          | 51.3 Hz          | 0.006 V/m            |
| 208          | 51.5 Hz          | 0.005 V/m            |
| 209          | 51.8 Hz          | 0.007 V/m            |
| 210          | 52.0 Hz          | 0.007 V/m            |
| 211          | 52.2 Hz          | 0.005 V/m            |
| 212          | 52.5 Hz          | 0.004 V/m            |
| 213          | 52.7 Hz          | 0.005 V/m            |
| 214          | 53.0 Hz          | 0.006 V/m            |
| 215          | 53.2 Hz          | 0.004 V/m            |
| 216          | 53.5 Hz          | 0.004 V/m            |
| 217          | 53.7 Hz          | 0.004 V/m            |
| 218          | 54.0 Hz          | 0.005 V/m            |
| 219          | 54.2 Hz          | 0.007 V/m            |
| 220          | 54.4 Hz          | 0.006 V/m            |
| 221          | 54.7 Hz          | 0.005 V/m            |
| 222          | 54.9 Hz          | 0.005 V/m            |
| 223          | 55.2 Hz          | 0.005 V/m            |

| <u>Index</u> | <u>Frequency</u> | <u>Avg (E-Field)</u> |
|--------------|------------------|----------------------|
| 224          | 55.4 Hz          | 0.005 V/m            |
| 225          | 55.7 Hz          | 0.004 V/m            |
| 226          | 55.9 Hz          | 0.005 V/m            |
| 227          | 56.2 Hz          | 0.006 V/m            |
| 228          | 56.4 Hz          | 0.005 V/m            |
| 229          | 56.6 Hz          | 0.003 V/m            |
| 230          | 56.9 Hz          | 0.004 V/m            |
| 231          | 57.1 Hz          | 0.004 V/m            |
| 232          | 57.4 Hz          | 0.004 V/m            |
| 233          | 57.6 Hz          | 0.005 V/m            |
| 234          | 57.9 Hz          | 0.006 V/m            |
| 235          | 58.1 Hz          | 0.007 V/m            |
| 236          | 58.3 Hz          | 0.005 V/m            |
| 237          | 58.6 Hz          | 0.004 V/m            |
| 238          | 58.8 Hz          | 0.005 V/m            |
| 239          | 59.1 Hz          | 0.006 V/m            |
| 240          | 59.3 Hz          | 0.007 V/m            |
| 241          | 59.6 Hz          | 0.007 V/m            |
| 242          | 59.8 Hz          | 0.006 V/m            |
| 243          | 60.1 Hz          | 0.005 V/m            |
| 244          | 60.3 Hz          | 0.004 V/m            |
| 245          | 60.5 Hz          | 0.004 V/m            |
| 246          | 60.8 Hz          | 0.005 V/m            |
| 247          | 61.0 Hz          | 0.006 V/m            |
| 248          | 61.3 Hz          | 0.005 V/m            |
| 249          | 61.5 Hz          | 0.006 V/m            |
| 250          | 61.8 Hz          | 0.007 V/m            |
| 251          | 62.0 Hz          | 0.006 V/m            |
| 252          | 62.3 Hz          | 0.004 V/m            |
| 253          | 62.5 Hz          | 0.003 V/m            |
| 254          | 62.7 Hz          | 0.004 V/m            |
| 255          | 63.0 Hz          | 0.004 V/m            |
| 256          | 63.2 Hz          | 0.004 V/m            |
| 257          | 63.5 Hz          | 0.003 V/m            |
| 258          | 63.7 Hz          | 0.003 V/m            |
| 259          | 64.0 Hz          | 0.002 V/m            |
| 260          | 64.2 Hz          | 0.003 V/m            |
| 261          | 64.5 Hz          | 0.004 V/m            |
| 262          | 64.7 Hz          | 0.004 V/m            |
| 263          | 64.9 Hz          | 0.005 V/m            |
| 264          | 65.2 Hz          | 0.007 V/m            |
| 265          | 65.4 Hz          | 0.008 V/m            |
| 266          | 65.7 Hz          | 0.008 V/m            |
| 267          | 65.9 Hz          | 0.008 V/m            |
| 268          | 66.2 Hz          | 0.007 V/m            |
| 269          | 66.4 Hz          | 0.006 V/m            |
| 270          | 66.7 Hz          | 0.005 V/m            |
| 271          | 66.9 Hz          | 0.005 V/m            |
| 272          | 67.1 Hz          | 0.004 V/m            |
| 273          | 67.4 Hz          | 0.004 V/m            |
| 274          | 67.6 Hz          | 0.004 V/m            |
| 275          | 67.9 Hz          | 0.004 V/m            |
| 276          | 68.1 Hz          | 0.005 V/m            |
| 277          | 68.4 Hz          | 0.004 V/m            |
| 278          | 68.6 Hz          | 0.003 V/m            |
| 279          | 68.8 Hz          | 0.003 V/m            |
| 280          | 69.1 Hz          | 0.005 V/m            |


| <u>Index</u> | <u>Frequency</u> | <u>Avg (E-Field)</u> |
|--------------|------------------|----------------------|
| 281          | 69.3 Hz          | 0.006 V/m            |
| 282          | 69.6 Hz          | 0.005 V/m            |
| 283          | 69.8 Hz          | 0.004 V/m            |
| 284          | 70.1 Hz          | 0.004 V/m            |
| 285          | 70.3 Hz          | 0.005 V/m            |
| 286          | 70.6 Hz          | 0.004 V/m            |
| 287          | 70.8 Hz          | 0.004 V/m            |
| 288          | 71.0 Hz          | 0.004 V/m            |
| 289          | 71.3 Hz          | 0.006 V/m            |
| 290          | 71.5 Hz          | 0.007 V/m            |
| 291          | 71.8 Hz          | 0.007 V/m            |
| 292          | 72.0 Hz          | 0.007 V/m            |
| 293          | 72.3 Hz          | 0.005 V/m            |
| 294          | 72.5 Hz          | 0.004 V/m            |
| 295          | 72.8 Hz          | 0.004 V/m            |
| 296          | 73.0 Hz          | 0.005 V/m            |
| 297          | 73.2 Hz          | 0.004 V/m            |
| 298          | 73.5 Hz          | 0.005 V/m            |
| 299          | 73.7 Hz          | 0.005 V/m            |
| 300          | 74.0 Hz          | 0.006 V/m            |
| 301          | 74.2 Hz          | 0.007 V/m            |
| 302          | 74.5 Hz          | 0.008 V/m            |
| 303          | 74.7 Hz          | 0.008 V/m            |
| 304          | 75.0 Hz          | 0.006 V/m            |
| 305          | 75.2 Hz          | 0.004 V/m            |
| 306          | 75.4 Hz          | 0.004 V/m            |
| 307          | 75.7 Hz          | 0.006 V/m            |
| 308          | 75.9 Hz          | 0.006 V/m            |
| 309          | 76.2 Hz          | 0.005 V/m            |
| 310          | 76.4 Hz          | 0.004 V/m            |
| 311          | 76.7 Hz          | 0.003 V/m            |
| 312          | 76.9 Hz          | 0.002 V/m            |
| 313          | 77.1 Hz          | 0.003 V/m            |
| 314          | 77.4 Hz          | 0.004 V/m            |
| 315          | 77.6 Hz          | 0.004 V/m            |
| 316          | 77.9 Hz          | 0.003 V/m            |
| 317          | 78.1 Hz          | 0.004 V/m            |
| 318          | 78.4 Hz          | 0.004 V/m            |
| 319          | 78.6 Hz          | 0.003 V/m            |
| 320          | 78.9 Hz          | 0.004 V/m            |
| 321          | 79.1 Hz          | 0.004 V/m            |
| 322          | 79.3 Hz          | 0.004 V/m            |
| 323          | 79.6 Hz          | 0.003 V/m            |
| 324          | 79.8 Hz          | 0.003 V/m            |
| 325          | 80.1 Hz          | 0.003 V/m            |
| 326          | 80.3 Hz          | 0.004 V/m            |
| 327          | 80.6 Hz          | 0.004 V/m            |
| 328          | 80.8 Hz          | 0.004 V/m            |
| 329          | 81.1 Hz          | 0.002 V/m            |
| 330          | 81.3 Hz          | 0.003 V/m            |
| 331          | 81.5 Hz          | 0.004 V/m            |
| 332          | 81.8 Hz          | 0.005 V/m            |
| 333          | 82.0 Hz          | 0.006 V/m            |
| 334          | 82.3 Hz          | 0.005 V/m            |
| 335          | 82.5 Hz          | 0.003 V/m            |
| 336          | 82.8 Hz          | 0.003 V/m            |
| 337          | 83.0 Hz          | 0.003 V/m            |

| <u>Index</u> | <u>Frequency</u> | <u>Avg (E-Field)</u> |
|--------------|------------------|----------------------|
| 338          | 83.3 Hz          | 0.003 V/m            |
| 339          | 83.5 Hz          | 0.003 V/m            |
| 340          | 83.7 Hz          | 0.003 V/m            |
| 341          | 84.0 Hz          | 0.004 V/m            |
| 342          | 84.2 Hz          | 0.006 V/m            |
| 343          | 84.5 Hz          | 0.006 V/m            |
| 344          | 84.7 Hz          | 0.007 V/m            |
| 345          | 85.0 Hz          | 0.007 V/m            |
| 346          | 85.2 Hz          | 0.006 V/m            |
| 347          | 85.4 Hz          | 0.004 V/m            |
| 348          | 85.7 Hz          | 0.003 V/m            |
| 349          | 85.9 Hz          | 0.003 V/m            |
| 350          | 86.2 Hz          | 0.003 V/m            |
| 351          | 86.4 Hz          | 0.003 V/m            |
| 352          | 86.7 Hz          | 0.003 V/m            |
| 353          | 86.9 Hz          | 0.004 V/m            |
| 354          | 87.2 Hz          | 0.004 V/m            |
| 355          | 87.4 Hz          | 0.003 V/m            |
| 356          | 87.6 Hz          | 0.002 V/m            |
| 357          | 87.9 Hz          | 0.002 V/m            |
| 358          | 88.1 Hz          | 0.002 V/m            |
| 359          | 88.4 Hz          | 0.003 V/m            |
| 360          | 88.6 Hz          | 0.005 V/m            |
| 361          | 88.9 Hz          | 0.006 V/m            |
| 362          | 89.1 Hz          | 0.006 V/m            |
| 363          | 89.4 Hz          | 0.005 V/m            |
| 364          | 89.6 Hz          | 0.005 V/m            |
| 365          | 89.8 Hz          | 0.004 V/m            |
| 366          | 90.1 Hz          | 0.005 V/m            |
| 367          | 90.3 Hz          | 0.005 V/m            |
| 368          | 90.6 Hz          | 0.005 V/m            |
| 369          | 90.8 Hz          | 0.005 V/m            |
| 370          | 91.1 Hz          | 0.004 V/m            |
| 371          | 91.3 Hz          | 0.003 V/m            |
| 372          | 91.6 Hz          | 0.003 V/m            |
| 373          | 91.8 Hz          | 0.003 V/m            |
| 374          | 92.0 Hz          | 0.002 V/m            |
| 375          | 92.3 Hz          | 0.002 V/m            |
| 376          | 92.5 Hz          | 0.003 V/m            |
| 377          | 92.8 Hz          | 0.003 V/m            |
| 378          | 93.0 Hz          | 0.004 V/m            |
| 379          | 93.3 Hz          | 0.004 V/m            |
| 380          | 93.5 Hz          | 0.004 V/m            |
| 381          | 93.7 Hz          | 0.003 V/m            |
| 382          | 94.0 Hz          | 0.003 V/m            |
| 383          | 94.2 Hz          | 0.002 V/m            |
| 384          | 94.5 Hz          | 0.002 V/m            |
| 385          | 94.7 Hz          | 0.004 V/m            |
| 386          | 95.0 Hz          | 0.005 V/m            |
| 387          | 95.2 Hz          | 0.005 V/m            |
| 388          | 95.5 Hz          | 0.005 V/m            |
| 389          | 95.7 Hz          | 0.004 V/m            |
| 390          | 95.9 Hz          | 0.003 V/m            |
| 391          | 96.2 Hz          | 0.002 V/m            |
| 392          | 96.4 Hz          | 0.003 V/m            |
| 393          | 96.7 Hz          | 0.004 V/m            |
| 394          | 96.9 Hz          | 0.005 V/m            |



| <u>Index</u> | <u>Frequency</u> | <u>Avg (E-Field)</u> |
|--------------|------------------|----------------------|
| 395          | 97.2 Hz          | 0.004 V/m            |
| 396          | 97.4 Hz          | 0.002 V/m            |
| 397          | 97.7 Hz          | 0.003 V/m            |
| 398          | 97.9 Hz          | 0.005 V/m            |
| 399          | 98.1 Hz          | 0.007 V/m            |
| 400          | 98.4 Hz          | 0.006 V/m            |
| 401          | 98.6 Hz          | 0.005 V/m            |
| 402          | 98.9 Hz          | 0.004 V/m            |
| 403          | 99.1 Hz          | 0.003 V/m            |
| 404          | 99.4 Hz          | 0.004 V/m            |
| 405          | 99.6 Hz          | 0.008 V/m            |
| 406          | 99.9 Hz          | 0.010 V/m            |
| 407          | 100.1 Hz         | 0.010 V/m            |
| 408          | 100.3 Hz         | 0.009 V/m            |
| 409          | 100.6 Hz         | 0.005 V/m            |

## Graph



## Parameters

---

|                                  |                        |
|----------------------------------|------------------------|
| Operating Mode                   | LOW FREQUENCY (EHP-50) |
| Number of Sub Indices            | 1                      |
| Storing Date                     | 03/02/2021             |
| Storing Time                     | 10:43:57 AM            |
| Dataset Type                     | LFS                    |
| Voice Comment Available          | NO                     |
| Dataset Fine Type                | LFS                    |
| GPS Flag                         | NO                     |
| Device Product Name              | NBM-550                |
| Device Serial Number             | H-0121                 |
| Device Cal Due Date              | 03/21/2021             |
| Probe Product Name               | EHP50F                 |
| Probe Serial Number              | 100WY61283             |
| Probe Cal Due Date               | 04/05/2021             |
| Probe Connection Type            | EHP                    |
| Standard ID                      | 17                     |
| Standard Name                    | GB8702-2014            |
| Result Type                      | AVG                    |
| Timer Interval                   | -                      |
| Timer Duration                   | -                      |
| History Time Scale               | -                      |
| Time progress of current segment | -                      |
| Averaging Samples                | 4                      |
| Averaging Samples Progress       | 1                      |
| Frequency Mode                   | Highest Peak           |
| Span                             | 100 Hz                 |
| Field Range                      | 1 kV/m                 |
| Axis                             | ISOTROPIC              |